

NATUROFLOOR

EST 1990



Cleaning & Care

keep your naturofloor nice & clean



EASY TO MAINTAIN

Your Naturofloor flooring is very easy to maintain. We have gathered our experience and compiled our knowledge to show you how you can effortlessly protect and clean your floors.

Our tips for cleaning

For weekly cleaning, it is sufficient to clean floors and walls dry with a vacuum cleaner or floor mop. You can clean with a damp cloth using clean water, Naturofloor cleaning products, and a microfiber/cotton cloth. Avoid using strongly alkaline, corrosive, solvent-based, or alcohol-based products. Strong cleaning and descaling agents must always be diluted before use.

To prevent limescale residue, rinse the floor with cold water after showering and dry it with a cloth or squeegee. Use products that do not contain plasticizers and have no sharp edges.



WHAT TO LOOK OUT FOR

Liquids

Although Naturofloor does not allow liquids to get in, spilled liquids such as shower gel, scented oils, or plant water should be wiped up promptly – prolonged exposure can damage the seal. Place food bowls and flower pots slightly elevated. Be careful with strongly coloring substances such as hair dye, coffee, curry, or oil – these can attack and discolor the sealant if left to soak in for a long time.

Furniture protection

Attaching protective glides (e.g., made of felt) to chairs, tables, sofas, vases, or other decorative items protects the floor. Rubberized hard floor casters are suitable for office chairs.

Carpets & mats

If you have underfloor heating, only use carpets without rubber backing. Allow the floor to dry thoroughly after cleaning before laying the carpet back down.



CLEANING PRODUCTS

Free from surfactants, Naturofloor cleaning products have a probiotic effect and contain effective microorganisms. They clean gently and effectively, are environmentally friendly and ideal for allergy sufferers.

- Cleans gently, effectively, and sustainably
- Vegan and free from palm oil-based surfactants
- Gentle on the skin and safe for allergy sufferers
- Very economical due to low dosage requirements
- EU Ecolabel-certified raw materials
- Manufactured in Switzerland

[Shop](#)

REPAIR & REFRESH

Most damage, including damage caused by heavy impact, heat or chemicals, can usually be repaired on site. This restores the surface to its original, smooth and hygienic finish. Contact your local Naturofloor certified specialist for professional adjustments.

You can also have your Naturofloor flooring refreshed after a few years. To do this, the walls and floors are lightly sanded and resealed.

